

**Radhai Mahavidyalaya Aurangabad College of Computer science  
& management science**

Approved by Govt. of Maharashtra & Affiliate to Dr. Babasaheb Ambedkar university Aurangabad.

Recognized Under Section 2(f) & 12 (B) of the U.G.C Act.

An ISO 9001-2015 Certified institution

**C - PROGRAMMING  
LABORATORY MANUAL**

**Radhai**  
Student Name:.....

**RollNo :**.....

**Branch:**.....**Section**.....

**Year** .....**Semester**.....

**FACULTY INCHARGE**

## CONTENTS

<b>Week</b>	<b>Name of the program</b>	<b>Page no</b>
1	a) Write a C program to find sum and average of three numbers. b) Write a C program to find the sum of individual digits of a given positive integer. c) Write a C program to generate the first n terms of the Fibonacci sequence.	1-6
2	a) Write a C program to generate prime numbers between 1 to n. b) Write a C program to Check whether given number is Armstrong Number or Not. c) Write a C program to evaluate algebraic expression $(ax+b)/(ax-b)$ .	7-12
3	a) Write a C program to check whether given number is perfect number or Not. b) Write a C program to check whether given number is strong number or not.	13-15
4	a) Write a C program to find the roots of a quadratic equation. b) Write a C program perform arithmetic operations using switch statement.	16-21
5	a) Write a C program to find factorial of a given integer using non-recursive function. b) Write a C program to find factorial of a given integer using recursive function.	22-25
6	a) Write C program to find GCD of two integers by using recursive function. b) Write C program to find GCD of two integers using non-recursive function.	26-29
7	a) Write a C program to find both the largest and smallest number in a list of integers. b) Write a C Program to Sort the Array in an Ascending Order. c) Write a C Program to find whether given matrix is symmetric or not.	30-34
8	<b>Revision of Programs</b>	
9	a) Write a C program to perform addition of two matrices. b) Write a C program that uses functions to perform Multiplication of Two Matrices.	35-40
10	a) Write a C program to use function to insert a sub-string in to given main string from a given position. b) Write a C program that uses functions to delete n Characters from a given position in a given string.	41-45
11	a) Write a C program using user defined functions to determine whether the given string is palindrome or not. b) Write a C program that displays the position or index in the main string S where the sub string T begins, or - 1 if S doesn't contain T.	46-49
12	a) Write C program to count the number of lines, words and characters in a given text. b) Write a C program to find the length of the string using Pointer.	50-53
13	a) Write a C program to Display array elements using <code>calloc()</code> function. b) Write a C Program to Calculate Total and Percentage marks of a student using structure.	54-55
14	a) Write a C program that uses functions and structures to perform the following operations: i) Reading a complex number ii) Writing a complex number iii) Addition of two complex numbers iv) Multiplication of two complex numbers b) Write a C program to display the contents of a file.	56-60

15	a)Write a C program to copy the contents of one file to another. b) Write a C program to merge two files into a third file. c) Write a C program to reverse the first n characters in a file.	61-67
16	<b>Revision of Programs</b>	



## **INSTRUCTIONS TO STUDENTS**

- Before entering the lab the student should carry the following things (MANDATORY)
  1. Identity card issued by the college.
  2. Class notes
  3. Lab observation book
  4. Lab Manual
  5. Lab Record
- Student must sign in and sign out in the register provided when attending the lab session without fail.
- Come to the laboratory in time. Students, who are late more than 15 min., will not be allowed to attend the lab.
- Students need to maintain 100% attendance in lab if not a strict action will be taken.
- All students must follow a Dress Code while in the laboratory
- Foods, drinks are NOT allowed.
- All bags must be left at the indicated place.
- Refer to the lab staff if you need any help in using the lab.
- Respect the laboratory and its other users.
- Workspace must be kept clean and tidy after experiment is completed.
- Read the Manual carefully before coming to the laboratory and be sure about what you are supposed to do.
- Do the experiments as per the instructions given in the manual.
- Copy all the programs to observation which are taught in class before attending the lab session.
- Students are not supposed to use floppy disks, pen drives without permission of lab- in charge.
- Lab records need to be submitted on or before the date of submission.

## Week 1:

**1. a) Write a C program to find the sum and average of three numbers.**

### Algorithm:

Step 1: Start

Step 2: Declare variables num1, num2, num3 and sum, average.

Step 3: Read values num1, num2, num3

Step 4: Add num1, num2, num3 and assign the result to sum.


sum  $\leftarrow$  num1 + num2 + num3

average  $\leftarrow$  sum / 3

Step 5: Display sum and average

Step 6: Stop

### Flow Chart:



## **Program:**

```
#include<stdio.h>
int main( )
{
    int a,b,c;
    int sum,average;
    printf("Enter any three integers: ");
    scanf("%d%d %d",&a,&b,&c);
    sum = a+b+c;
    average=sum/3
    printf("Sum and average of three integers: %d %d",sum,average);
    return 0;
}
```

## **SAMPLE INPUT:**

Enter any three integers: 2 4 5

## **EXPECTED OUTPUT:**

Sum and average of three integers: 11 3

## **Record at least 3 results**

**Signature of faculty with date**

**1. b) Write a C program to find the sum of individual digits of positive integer.**

**AIM:**

To find the sum of individual digits of positive integer.

**Description:**

Summation of digits of a number


Ex: 1234

$$\text{Summation} = 1+2+3+4=10$$

**ALGORITHM:**

Step 1: Start  
Step 2: Read n  
Step 3: Initialize sum  $\leftarrow 0$   
Step 4: while( $n \neq 0$ )  
    Begin  
    Step 5:  $r \leftarrow n \% 10$   
    Step 6: sum  $\leftarrow$  sum + r  
    Step 7:  $n \leftarrow n / 10$   
    End  
Step 8: Print "sum"  
Step 9: Stop

**FLOWCHART:**



A large watermark-like text 'Aunivgobhi' is visible across the bottom of the slide.

## **PROGRAM:**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int n,r,sum=0;
clrscr();
printf("ENTER A POSITIVE INTEGER \n");
scanf("%d",&n);
while(n!=0)
{
    r=n%10;
    sum=sum+r;
    n=n/10;
}
printf("THE SUM OF INDIVIDUAL DIGITS OF A POSITIVE INTEGER IS..%d",sum);
getch();
}
```

## **SAMPLE INPUT:**

ENTER A POSITIVE INTEGER  
5 3 2 1

## **EXPECTED OUTPUT:**

THE SUM OF INDIVIDUAL DIGITS OF A POSITIVE INTEGER IS..11

**Record at least 3 results**

**Signature of faculty with date**

**1).c) Fibonacci Sequence is defined as follows: the first and second terms in the sequence are 0 and 1. Subsequent terms are found by adding the preceding two terms in the sequence. Write a C program to generate the first n terms of the sequence.**

**AIM:** To generate the first n terms of the Fibonacci sequence..

**Description:** Initial Fibonacci numbers are 0 and 1. Next number can be generated by adding two numbers. So  $0+1=1$ . Therefore next number can be generated by adding two previous . so Fibonacci series is 0 1 1 2 3 5 .....

### **ALGORITHM:**

```
Step 1 : Start  
Step 2 : Read n  
Step 3 : Initialize f0 ← 0, f1 ← 1, f ← 0  
Step 4 : i=0  
Step 5 : while(i<=n) do as follows  
        printf("%d\n",f0);  
        f=f0+f1;  
        f0=f1;  
        f1=f;  
        i=i+1;  
    If not goto step 7  
Step 6 : Stop
```

Alvin Gobbi

## **PROGRAM:**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int f0,f1,f,n,i;
clrscr();
printf("ENTER THE VALUE FOR n \n");
scanf("%d",&n);
f0=0;
f1=1;
printf("FIBONACCI SEQUENCE FOR THE FIRST %d TERMS:\n",n);
i=0;
while(i<n)
{
    printf("%d\t",f0);
    f=f0+f1;
    f0=f1;
    f1=f;
    i=i+1;
}
}
```

## **INPUT:**

ENTER THE VALUE FOR n  
10

## **OUTPUT:**

FIBONACCI SEQUENCE FOR THE FIRST 10 TERMS:  
0    1    1    2    3    5    8    13    21    34

**Record at least 3 results**

**Signature of faculty with date**

## Week: 2

2) a) Write a C program to generate all prime numbers between 1 and n. Where n is the value supplied by the user.

**Aim:** To print a prime numbers up to 1 to n

**Description:**


Prime number is a number which is exactly divisible by one and itself only

Ex: 2, 3, 5, 7, .....

**Algorithm:**

Step 1: start  
Step 2: read n  
Step 3: initialize i=1, c=0  
Step 4: if  $i \leq n$  goto step 5  
    If not goto step 10  
Step 5: initialize j=1  
Step 6: if  $j \leq i$  do the following. If no goto step 7  
    i) if  $i \% j == 0$  increment c  
    ii) increment j  
    iii) goto Step 6  
Step 7: if  $c == 2$  print i  
Step 8: increment i  
Step 9: goto step 4  
Step 10: stop

**FLOWCHART:**



**Program:**

```
#include<stdio.h>
#include<conio.h>
void main()
{
    int n,i,fact,j;
    clrscr();
    printf("enter the number:");
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        fact=0;
        //THIS LOOP WILL CHECK A NO TO BE PRIME NO. OR NOT.
        for(j=1;j<=i;j++)
        {
            if(i%j==0)
                fact++;
        }
        if(fact==2)
            printf("\n %d",i);
    }
    getch();
}
```

**Output:**

Enter the number : 5

2 3 5

**Record at least 3 results**

**Signature of faculty with date**

**2) b) Write a C program to Check whether given number is Armstrong Number or Not.**

**AIM:** To Check whether given number is Armstrong Number or Not

**Algorithm:**

**Armstrong number**

Step 1: start

Step 2:read n

Step 3:assign sum  $\leftarrow 0, I \leftarrow m \leftarrow n, count = 0$

Step 4:if  $m > 0$  repeat

    Step 4.1: $m \leftarrow m/10$

    Step 4.2: $count++$

    Step 4.3:until the condition fail

Step5: if  $I > 0$  repeat step 4 until condition fail


    Step 5.1: $rem \leftarrow I \% 10$

    Step 5.2: $sum \leftarrow sum + pow(rem, count)$

    Step 5.3: $I \leftarrow I/10$

Step 6:if  $n = sum$  print Armstrong otherwise print not armstrong

Step 7:stop



### **Program:**

```
#include <stdio.h>
int main()
{
    int n, n1, rem, num=0;
    printf("Enter a positive integer: ");
    scanf("%d", &n);
    n1=n;
    while(n1!=0)
    {
        rem=n1%10;
        num+=rem*rem*rem;
        n1/=10;
    }
    if(num==n)
        printf("%d is an Armstrong number.",n);
    else
        printf("%d is not an Armstrong number.",n);
}
```

### **Input:**

Enter a positive integer: 371

### **Output:**

371 is an Armstrong number.

Record at least 3 results

**Signature of faculty with date**

**2) c). Write a C program to evaluate algebraic expression  $(ax+b)/(ax-b)$**

**Algorithm:**

Step 1:start  
Step 2:input a,b,x,s  
Step 3:s=(a\*x+b)/(a\*x-b)  
Step 4:Result s  
Step 5:stop

**Flow Chart:**



## **Program:**

```
#include<stdio.h>
#include<conio.h>
int main( )
{
int a,b,x;
float s;
clrscr();
printf("enter the values of a,b,x");
scanf("%d %d %d",&a,&b,&x);
s=(a*x+b)/(a*x-b);
printf("The value of s=%f",s);
getch();
}
```

**Input:**enter the values of a,b,x

1 3 2

**Output:**

The value of s= 5

**Record at least 3 results**

**Signature of faculty with date**

## Week: 3

**3) a). Write a C program to check whether given number is perfect number or Not**

**AIM:** To Check whether given number is perfect number or not

### Algorithm:

#### **Perfect number**

Step 1: read n  
Step 2: assign i=1,sum=0  
Step 3: while(i<n) goto step 4

Step 4: if(n%i==0)

    sum=sum+i  
    i++

step 5: if(sum==n) print given number is perfect number otherwise not a perfect number.

### **Program:**

```
#include<stdio.h>
int main()
{
    int n,i=1,sum=0;

    printf("Enter a number: ");
    scanf("%d",&n);

    while(i<n)
    {
        if(n%i==0)
            sum=sum+i;
        i++;
    }
    if(sum==n)
        printf("%d is a perfect number",i);
    else
        printf("%d is not a perfect number",i);

    return 0;
}
```

### **Input:**

Enter a number:6

### **Output:**

6 is a perfect number

**3) b) Write a C program to check whether a number is strong number or not.**

**AIM:** To check whether given number is strong number or not

**Algorithm:**

**Strong number**

Step 1: read num,i,f,r,sum=0,temp

Step 2: assign num to temp

Step 3: while(num) goto step 4

Step 4: i=1,f=1

r=num%10

while(i<=r) goto step 5

Step 5: f=f\*i

i=i+1

Step 6: sum=sum+f;

Step 7: num=num/10;

Step 8: if sum and temp are equal got step 9

Step 9: print strong number otherwise not a strong number

**Program:**

```
#include<stdio.h>
int main() {
    int num,i,f,r,sum=0,temp;
    printf("Enter a number: ");
    scanf("%d",&num);
    temp=num;
    while(num) {
        i=1,f=1;
        r=num%10;
        while(i<=r) {
            f=f*i;
            i++;
        }
        sum=sum+f;
        num=num/10;
    }
    if(sum==temp)
        printf("%d is a strong number",temp);
    else
        printf("%d is not a strong number",temp);
    return 0;
}
```

**Input:**

Enter a number:145

**Output:**

145 is a strong number

**Record at least 3 results**



## Week: 4

4) a) Write a C program to find the roots of a quadratic equation.

**AIM:** To find the roots of a quadratic equation.

Description: roots of quadratic equation are  $\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

**ALGORITHM:**

Step 1: Start

Step 2: Read a,b,c

Step 3: calculate disc = b\*b-4\*a\*c

Step 4: if(disc>0)

    Begin

        Step 5: root1=(-b+sqrt(disc))/(2\*a)

        Step 6: root2=(-b-sqrt(disc))/(2\*a)

        Step 7: Print "Root1", "Root2"

    End

Step 8: else if(disc=0)

    Begin

        Step 9: root1=-b/(2\*a)

        Step 10: root2=root1;

        Step 11: Print "Root1", "Root2"


    End

Step 12: else

Step 13: Print Roots are imaginary

Step 14: Stop

**Flow Chart**



## PROGRAM:

```
#include<stdio.h>
#include<conio.h>
#include<math.h>
int main()
{
    int a,b,c;
    float disc,root1,root2;
    float img,real;
    printf("ENTER VALUES FOR a,b,c:\n");
    scanf("%d%d%d",&a,&b,&c);
    disc=(float)b*b-4*a*c;
    if(disc>0)
    {
        printf("THE ROOTS ARE REAL & UNEQUAL:\n");
        root1=(-b+sqrt(disc))/(2*a);
        root2=(-b-sqrt(disc))/(2*a);
        printf("Root1=%f\n",root1);
        printf("Root2=%f\n",root2);
    }
    else if(disc==0)
    {
        printf("THE ROOTS ARE REAL AND EQUAL:\n");
        root1=-b/(2*a);
        root2=root1;
        printf("Root1=%f\n",root1);
        printf("Root2=%f\n",root2);
    }
    else
    {
        printf("THE ROOTS ARE IMAGINARY:\n");
        disc=-disc;
        img=(float)disc/2*a;
        real=(float)-b/2*a;
        if (img>0)
        {
            printf("Root1=%f + i%f\n",real,img);
            printf("Root2=%f - i%f\n",real,img);
        }
        else
        {
            img=-img;
            printf("Root1=%f + i%f\n",real,img);
            printf("Root2=%f - i%f\n",real,img);
        }
    }
    return 0;
}
```

**INPUT:**

ENTER VALUES FOR a,b,c

1      4      4

**OUTPUT:**


THE ROOTS ARE EQUAL AND THEY ARE..      Root1=-2      Root2=-2

Record at least 3 results

RECORD NO.

Radhai

MAHAVIDYALAYA



Signature of faculty with date

**4) b). Write a C program which takes two integer operands and one operator from the user, performs the operation and then prints the result.(Consider the operators +,-,\*,/,% and use Switch Statement.)**


**AIM:**

To perform arithmetic operations using switch statement.

**Algorithm:**

```
Step 1: Read a,b  
Step 2: Print "Menu Options"  
Step 3: do  
Begin Step 4: Read ch  
Step 5: switch(ch)  
Begin Step 6:  
case 1:  
    Begin  
    Calculate c = a+b  
    Print "c"  
    break;  
    End  
case 2:  
    Begin  
    Calculate c = a-b  
    Print "c"  
    break;  
    End  
case 3:  
    Begin  
    Calculate c = a*b  
    Print "c"  
    break;  
    End  
case 4:  
    Begin  
    Calculate c = a/b  
    Print "c"  
    break;  
    End  
case 5:  
    Begin  
    Calculate c = a%b  
    Print "c"  
    break;  
    End  
default:  
    Print "Invalid choice"  
End
```

## Flowchart



## **Program:**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a,b,c,ch; clrscr();
printf("ENTER TWO VALUES FOR a & b\n"); scanf("%d %d",&a,&b);
while(1) {
printf("MENU OPTIONS \n");
printf("*****\n");
printf("1.Addition\n");
printf("2.Subtraction\n");
printf("3.Multiplication\n");
printf("4.Division\n");
printf("5.Modulus\n");
printf("6.Exit\n");
printf("\n");
printf("ENTER UR CHOICE\n");
scanf("%d",&ch);
switch(ch) {
```

```

case 1: c=a+b;
printf("The addition of %d and %d is..%d\n",a,b,c); break;
case 2: c=a-b;
printf("The subtraction of %d and %d is..%d\n",a,b,c); break;
case 3: c=a*b;
printf("The multiplication of %d and %d is..%d\n",a,b,c); break;
case 4: c=a/b;
printf("The division of %d and %d is..%d\n",a,b,c); break;
case 5: c=a%b;
printf("The modulus of %d and %d is..%d\n",a,b,c); break;
case 6:exit(0); default:printf("INVALID CHOICE\n"); }
}
getch();
}

```

**INPUT:**

ENTER TWO VALUES FOR a & b: 20

16

**OUTPUT:**


MENU OPTIONS

- 1.Addition
- 2.Subtraction
- 3.Multiplication
- 4.Division
- 5.Modulus
- 6.Exit

ENTER UR CHOICE 1

The addition of 20 and 16 is..36

**Record at least 3 results**



Alvin ghorai

Signature of faculty with date

## Week: 5

5) a) Write a C program to find the factorial of a given integer using non-recursive function.


### AIM:

To find the factorial of a given number using non-recursive function.

### ALGORITHM:

Step 1: Start  
Step 2: Read n  
Step 3: Call fact(n) goto step 6  
Step 4: Store result in "f"  
Step 5: Print "f" goto step 10  
Step 6: Begin //sub program  
    Initialize f  $\leftarrow$  1  
Step 7: for i is 1 to n by step 2  
Step 8: Calculate f = f\*i  
Step 9: return "f"  
End  
Step 10: Stop

### FLOWCHART:



## **PROGRAM:**

```
#include<stdio.h>
#include<conio.h>
int fact(int);
void main()
{
int n,i,f;
clrscr();
printf("ENTER A VALUE FOR n:\n");
scanf("%d",&n);
f=fact(n);
printf("THE FACTORIAL OF A GIVEN NO IS..%d",f);
getch();
}
int fact(int n)
{
    int i,f=1;
    for(i=1;i<=n;i++)
        f=f*i;
    return(f);
}
```

### **INPUT:**

ENTER A VALUE FOR n

5

### **OUTPUT:**

THE FACTORIAL OF A GIVEN NUMBER IS..120

**Record at least 3 results**

**Signature of faculty with date**

**5) b) Write a C program to find the factorial of a given integer using recursive function.**

### AIM:

To find the factorial of a given number using recursive function.

### ALGORITHM:


#### main program

- Step 1: start
- Step 2: read n
- Step 3: call sub program as  $f=fact(n)$
- Step 4: print f value
- Step 5: stop

#### Sub program:

- Step 1: initialize the f
- Step 2: if  $n = 0$  or  $n == 1$  return 1 to main program if not goto step 3
- Step 3: return  $n * fact(n-1)$  to main program

### FLOW CHART:



## PROGRAM:

```
#include<stdio.h>
#include<conio.h>
int fact(int);
void main()
{
    int n,res;
    clrscr();
    printf("ENTER A NUMBER:\n");
    scanf("%d",&n);
    res=fact(n);
    printf("THE FACTORIAL OF A GIVEN NUMBER IS..%d",res);
    getch();
}
int fact(int n)
{
    int r;
    if(n==0)
        return(1);
    else
    {
        r=n*fact(n-1);
        return(r);
    }
}
```

## INPUT:

ENTER A VALUE FOR n  
5

## OUTPUT:

THE FACTORIAL OF A GIVEN NUMBER IS..120

Record at least 3 results

Signature of faculty with date

## Week: 6

6) a) Write a C program to find the GCD of two given integers by using the recursive function

**Aim:** To find the Gcd of two given integers by using the recursive function

**Algorithm:**

**Main program:**


- Step 1: start
- Step 2: read a,b
- Step 3: call the sub program GCD(a,b) for print the value
- Step 4: stop

**Sub program: GCD(n,m)**


- Step 1: if  $n > m$  return  $GCD(n,m)$
- Step 2: if  $n == 0$  return  $m$  else goto step 3
- Step 3: return  $GCD(n, m \% n)$
- Step 4: return to main program

**Flow CHART:**

**Main Program:**



**Sub Program:**



**Program:**

```
#include<stdio.h>
#include<conio.h>
int gcdrecursive(int m,int n)
{
    if(n>m)
        return      gcdrecursive(n,m);
    if(n==0)
        return m;
    else
        return gcdrecursive(n,m%n); // return to the main program
}
void main()
{
    int a,b,igcd; clrscr();
    printf("enter the two numbers whose gcd is to be found:");
    scanf("%d%d",&a,&b);
    printf("GCD of a,b is %d",gcdrecursive(a,b)); // return to the sub program getch();
}
```

**Input:**

Enter the two numbers whose gcd is to be found: 5 25

**Output:**

GCD of a,b is : 5

**Record at least 3 results**

**Signature of faculty with date**

**6) b) Write a C program to find the GCD of two given integers using non-recursive function.**

To find the GCD of two given integers by using the non recursive function

**Description:**

GCD means Greatest Common Divisor. i.e the highest number which divides the given number

Ex: GCD(12,24) is 12

Formula: GCD= product of numbers/ LCM of numbers

**Algorithm:**

Step 1: start

Step 2: read a,b

Step 3: call sub program g=GCD(a,b)

Step 4: print the g value

Step 5: stop

**Sub program:**


Step 1: initialize the p=1, q, remainder

Step 2: remainder=p-(p/q\*q)

Step 3: remainder=0 return q else goto step 4

Step 4: GCD(q,remainder) return to main program

**Flowchart:**



**Program:**

```
#include<stdio.h>
#include<conio.h>
#include<math.h>
int gcdnonrecursive(int m,int n)
{
    int remainder;
```

```

remainder=m-(m/n*n);
if(remainder==0)
return n;
else
gcdnonrecursive(n,remainder);
}

void main()
{
    int a,b,igcd;
    clrscr();
    printf("enter the two numbers whose gcd is to be found:");
    scanf("%d%d",&a,&b);
    printf("GCD of %d",gcdnonrecursive(a,b));
    getch();
}

```

**Output:**

1. enter the two numbers whose gcd is to be found:5,25  
GCD of a,b is : 5

**Record at least 3 results**

**Signature of faculty with date**

## Week: 7


7) a) Write a C program to find both the largest and smallest number in a list of integers.

### AIM:

To find the largest and smallest number in a list of integers.

### ALGORITHM:

Step 1: start  
Step 2: read n  
Step 3: initialize i=0  
Step 4: if  $i < n$  do as follows. If not goto step 5  
    Read a[i]  
    Increment i  
    Goto step 4  
Step 5: small=a[0], large=a[0]  
Step 6: initialize i=0  
Step 7: if  $i < n$  do as follows. If  
        not goto step 8  
        If  $a[i] < small$   
            Assign small=a[i]  
        If  $a[i] > large$   
            Assign large=a[i]  
        Increment i goto Step 7  
Step 8: print small, large  
Step 9: stop



**Program:**

```
#include<stdio.h>
#include<conio.h>
void main()
{ int a[10],i,n,small,large;
clrscr();
printf("Enter The Array Size:");
scanf("%d",&n);
printf("ENTER ELEMENTS OF ARRAY");
for(i=0;i<n;i++) // read the elements of an array
scanf("%d",&a[i]);
small=a[0];
large=a[0];
for(i=0;i<n;i++)// read the elements of an array
{
    if(a[i]<small)// check the condition for minimum value
    small=a[i];
    if(a[i]>large)//check the condition for maximum value
    large=a[i];
}
printf("largest value is:%d\n",large);
printf("smallest value is:%d\n",small);
getch();
}
```

**INPUT:**

Enter The Array Size:10

ENTER THE ELEMENTS OF ARRAY

7      10      9      8      6      5      2      3      4      1

**OUTPUT:**

largest value is :10  
smallest value is :1

**Record at least 3 results**

**Signature of faculty with date**

## 7) b) Write a C Program to Sort the Array in an Ascending Order.

### Program:

C Program to Sort the Array in an Ascending Order

```
#include <stdio.h>
```

```
void main()
```

```
{
```

```
    int i, j, a, n, number[30];
```

```
    printf("Enter the value of N \n");
```

```
    scanf("%d", &n);
```

```
    printf("Enter the numbers \n");
```

```
    for (i = 0; i < n; ++i)
```

```
        scanf("%d", &number[i]);
```

```
    for (i = 0; i < n; ++i)
```

```
{
```

```
        for (j = i + 1; j < n; ++j)
```

```
{
```

```
            if (number[i] > number[j])
```

```
{
```


```
                a = number[i];
```

```
                number[i] = number[j];
```

```
                number[j] = a;
```

```
}
```

```
}
```



printf("The numbers arranged in ascending order are given below \n");

for (i = 0; i < n; ++i)

    printf("%d\n", number[i]);

}

### Output:

Enter the value of N

6

Enter the numbers

3

78

90

456

780

200

The numbers arranged in ascending order are given below

3

78

90

200

456

780

**Record at least 3 results**



**7) c) Write a C Program to find whether given matrix is symmetric or not.**

**Program:**

```
#include<conio.h>
#include<stdio.h>
void main()
{
    int a[10][10],i,j,m;
    clrscr();
    printf("Enter order of square matrix: ");
    scanf("%d",&m);
    for(i=0;i<m;i++)
    {
        for(j=0;j<m;j++)
        {
            printf("Enter value of a[%d][%d]: ",i,j);
            scanf("%d",&a[i][j]);
        }
    }
    for(i=0;i<m;i++)
    {
        for(j=0;j<m;j++)
        {
            if(a[i][j]!=a[j][i])
            {
                printf("\n\nMatrix is not symmetric");
                getch();
                exit(0);
            }
        }
    }
    printf("\n\nMatrix is symmetric");
    getch();
}
```

**Output:**

```
Enter order of square matrix:2
Enter value of a[0][0]:12
Enter value of a[0][1]:34
Enter value of a[1][0]:34
Enter value of a[1][1]:54
Matrix is symmetric
```

## Week : 9

9) a) Write a C program to perform addition of two matrices.

### AIM:

To perform addition of two matrices.

### ALGORITHM:

Step 1: Start

Step 2: for i is 0 to 2 by step 1

    for j is 0 to 2 by step 1

Step 3: Read a[i][j],b[i][j]

Step 4: goto step 2


Step 5: calculate c[i][j]=a[i][j]+b[i][j]

Step 6: goto step 2

Step 7: Print c[i][j]

Step 8: Stop

### Flow Chart:



## PROGRAM:

```
#include<stdio.h>
#include<conio.h>
void main()
{
int a[3][3],b[3][3],c[3][3];
int i,j;
clrscr();
printf("ENTER A MATRIX\n");
for(i=0;i<3;i++)
{
    for(j=0;j<3;j++)
        scanf("%d",&a[i][j]);
}
printf("ENTER B MATRIX\n");
for(i=0;i<3;i++)
{
    for(j=0;j<3;j++)
        scanf("%d",&b[i][j]);
}
for(i=0;i<3;i++)
{
    for(j=0;j<3;j++)
        c[i][j]=a[i][j]+b[i][j];
}
printf(" After addition of two matrices :\n");
for(i=0;i<3;i++)
{
    for(j=0;j<3;j++)
        printf("%d\t",c[i][j]);
    printf("\n");
}
getch();
}
```

**INPUT:**

ENTER a MATRIX

1	2	3
4	5	6
7	8	9

ENTER b MATRIX

1	1	1
1	1	1
1	1	1

**OUTPUT:**

After addition of two matrices is..

2	3	4
5	6	7
8	9	10

**Record at least 3 results****Signature of faculty with date**

**9) b) Write a C program that uses functions to perform Multiplication of Two Matrices.**

### **AIM:**

To perform multiplication of two matrices.

### **ALGORITHM:**

Step 1: Start

Step 2: for i is 0 to 2 by step 1

    for j is 0 to 2 by step 1

Step 3: Read a[i][j],b[i][j]

Step 4: goto step 2

Step 5: calculate c[i][j]=c[i][j]+a[i][k]\*b[k][j]

Step 6: goto step 2

Step 7: Print c[i][j]

Step 8: Stop

### **Program:**

```
#include<stdio.h>
#include<conio.h>
int i,j,k;
void main()
{
    int a[10][10],b[10][10],c[10][10],m,n,p,q;
    void mul(int x[10][10],int y[10][10],int z[10][10],int m,int n,int p,int q);
    void read(int x[10][10],int m,int n);
    void display(int x[10][10], int m,int n);
    clrscr();
    printf("Enter the size of A Mtrix (Row and Col): \n");
    scanf("%d%d",&m,&n);
    printf("Enter the size of B Mtrix (Row and Col): \n");
    scanf("%d%d",&p,&q);
    if(n!=p)
    {
        printf("Multiplication Not Possible\n Please re-enter\n");
        printf("correct size and try again..... \n");
    }
    else
    {
        read(a,m,n);
        read(b,m,n);
        mul(a,b,c,m,n,p,q);
        printf("A Matrix is :\n");
        display(a,m,n);
    }
}
```

```

printf("B Matrix is :\n");
display(b,m,n);
printf("C Matrix is :\n");
display(c,m,n);
}
getch();
}
void mul(int x[10][10],int y[10][10],int z[10][10],int m,int n,int p,int q)
{
for (i=0;i<m;i++)
{
    for(j=0;j<q;j++)
    {
        z[i][j]=0;
        for(k=0;k<n;k++)
        {
            z[i][j]+= x[i][k]*y[k][j];
        }
    }
}
void read(int x[10][10], int m,int n)
{
printf("Enter Matrix Value Row by Row\n");
for (i=0;i<m;i++)
{
    for(j=0;j<n;j++)
        scanf("%d",&x[i][j]);
}
}
void display(int x[10][10], int m,int n)
{
for (i=0;i<m;i++)
{
    for(j=0;j<n;j++)
        printf("% 5d",x[i][j]);
    printf("\n");
}
printf("\n");
}

```

**Input:**

Enter the size of A Mtrix (Row and Col): 2 2

Enter the size of B Mtrix (Row and Col): 2 2

Enter Matrix Value Row by Row

1 0  
2 6

Enter Matrix Value Row by Row

3 4  
4 2

**Output:**

A matrix is:

1 0  
2 6

B Matrix is:

3 4  
4 2

C matrix is:

3 4  
24 20

**Record at least 3 results**

**Signature of faculty with date**


## Week: 10

10) a) Write a C program to use function to insert a sub-string in to given main string from a given position.

### Aim:

To insert a string into another string from a specified position.

### Flow Chart :



## **Algorithm:**

- Step 1: start
- Step 2: read main string and sub string
- Step 3: find the length of main string(r)
- Step 4: find length of sub string(n)
- Step 5: copy main string into sub string
- Step 6: read the position to insert the sub string( p)
- Step 7: copy sub string into main string from position p-1
- Step 8: copy temporary string into main string from position p+n-1
- Step 9: print the strings
- Step 10: stop

## **Program:**

```
#include<stdio.h>
#include<string.h>
main()
{
char a[30],b[30],c[30];
int pos=0,i=0,la,lb,lc,j;
    puts("Enter a string");
    gets(a);
    puts("Enter sub string");
    gets(b);
    puts("enter position for insertion");
    scanf("%d",&pos);
    la=strlen(a);
    lb=strlen(b);
    l=pos+lb;
    lc=la+lb;
    for(i=0;i<pos;i++)
    {
        c[i]=a[i];
    }
    j=0;
    for(i=pos;i<=l;i++)
    {
        c[i]=b[j];
        j++;
    }
    j=pos;
    for(i=l;i<lc;i++)
    {
        c[i]=a[j];
        j++;
    }
    c[i]='\0';
    puts("String after Insertion is:");
    printf("%s",c);
```

}

**Input:**

Enter First String:

Comer

Enter Second String:

put

**Output:**

Enter the position where the item has to be inserted:3

Computer

**Record at least 3 results**

**Signature of faculty with date**


### 10) b) To delete n Characters from a given position in a given string.

**Aim:** To delete n Characters from a given position in a given string.

#### Algorithm:

- Step 1: start
- Step 2: read string
- Step 3: find the length of the string
- Step 4: read the value of number of characters to be deleted and positioned
- Step 5: string copy part of string from position to end, and  
(position + number of characters to end)
- Step 6: stop

#### Flow Chart:



## **Program:**

```
#include<stdio.h>
#include<string.h>
main()
{
char a[30],c[30];
int pos=0,i=0,L,La,j,n;
    puts("Enter a string");
    gets(a);
    puts("enter position for deletion");
    scanf("%d",&pos);
    puts("Enter number of characters to be deleted");
    scanf("%d",&n);
    La=strlen(a);
    L=pos+n;
    for(i=0;i<pos;i++)
    {
        c[i]=a[i];
    }
    j=pos;
    for(i=L;i<=La;i++)
    {
        c[j]=a[i];
        j++;
    }
    puts("String after Deletion is:");
    printf("%s",c);
}
```

## **Input:**

Enter the string  
jayopal

Enter the position from where to delete:4  
Enter the number of characters to be deleted 2

## **Output:**

jayal

**Record at least 3 results**

**Signature of faculty with date**

## Week: 11

11) a) Write a C program using user defined functions to determine whether the given string is palindrome or not.

**Aim:** To determine if the given string is palindrome or not.

Description :

Palindrome means string on reversal should be same as original

Ex: madam on reversal is also madam

**Algorithm:**

Step 1: start

Step 2: read string A

Step 3: copy string A into B

Step 4: reverse string B

Step 5: compare A &B

If A equals B to got step 6

Else goto step 7

Step 6:print given string A is pallindrom

Step 7:print given string is not pallindroma

Step 8: stop

**Flow Chart:**



**Program:**

```
#include <stdio.h>
#include <string.h>
void main()
{
    char string[25], reverse_string[25] = {'\0'};
    int i, length = 0, flag = 0;

    printf("Enter a string \n");
    gets(string);
    for (i = 0; string[i] != '\0'; i++)
    {
        length++;
    }
    printf("The length of the string '%s' = %d\n", string, length);
    for (i = length - 1; i >= 0 ; i--)
    {
        reverse_string[length - i - 1] = string[i];
    }

    for (flag = 1, i = 0; i < length ; i++)
    {
        if (reverse_string[i] != string[i])
            flag = 0;
    }
    if (flag == 1)
        printf ("%s is a palindrome \n", string);
    else
        printf("%s is not a palindrome \n", string);
}
```

**Input:**

Enter a string

madam

**Output:**

The length of the string 'madam' = 5

madam is a palindrome

**Record at least 3 results**

**Signature of faculty with date**

**11. b) Write a C program that displays the position or index in the string S where the string T begins, or - 1 if S doesn't contain T.**


**Aim:** To display the position or index in the string S where the string T begins, or - 1 if S doesn't contain T

**Algorithm:**

- Step 1: start
- Step 2: read the string and then displayed
- Step 3: read the string to be searched and then displayed
- Step 4: searching the string T in string S and then perform the following steps
  - i. found=strstr(S,T)
  - ii. if found print the second string is found in the first string at the position. If not goto step 5
- Step 5: print the -1
- Step 6: stop

**Flow Chart:**





### **Program:**

```
#include<stdio.h>
#include<string.h>
#include<conio.h>
void main()
{
    char s[30], t[20];
    char *found;
    clrscr();
    /* Entering the main string */
    puts("Enter the first string: ");
    gets(s);
    /* Entering the string whose position or index to be displayed */
    puts("Enter the string to be searched: ");
    gets(t);
    /*Searching string t in string s */
    found=strstr(s,t);
    if(found)
        printf("Second String is found in the First String at %d position.\n",found-s);
    else
        printf("-1");
    getch();
}
```

### **Input:**

Enter the first string:  
computer

Enter the string to be searched:  
mp

### **Output:**

Second string is found in the first string at 2 position

**Record at least 3 results**

**Signature of faculty with date**

## Week: 12

12) a) Write a C program to count the number of lines, words and characters in a given text.


### AIM:

To count the number of lines, words and characters in a given list.

### ALGORITHM:

- Step 1: Start
- Step 2: Read the text until an empty line
- Step 3: Compare each character with newline char '\n' to count no of lines
- Step 4: Compare each character with tab char '\t' or space char ' ' to count no of words
- Step 5: Compare first character with NULL char '\0' to find the end of text
- Step 6: No of characters = length of each line of text
- Step 7: Print no of lines, no of words, no of chars
- Step 8: Stop.

### Flow Chart:



## PROGRAM:

```
#include <stdio.h>
void main()
{
    char line[81], ctr;
    int i,c,
        end = 0,
        characters = 0,
        words = 0,
        lines = 0;
    printf("TYPE ANY TEXT.\n");
    printf("GIVE ONE SPACE AFTER EACH WORD.\n");
    while( end == 0)
    {
        /* Reading a line of text */
        c = 0;
        while((ctr=getchar()) != '\n')
            line[c++] = ctr;
        line[c] = '\0';
        /* counting the words in a line */
        if(line[0] == '\0')
            break ;
        else
        {
            words++;
            for(i=0; line[i] != '\0';i++)
                if(line[i] == ' ' || line[i] == '\t')
                    words++;
        }
        /* counting lines and characters */
        lines = lines +1;
        characters = characters + strlen(line);
    }
    printf ("\n");
    printf("Number of lines = %d\n", lines);
    printf("Number of words = %d\n", words);
    printf("Number of characters = %d\n", characters);
}
```

**INPUT:**

TYPE ANY TEXT

GIVE ONE SPACE AFTER EACH WORD.

Ramu is a good boy.

**OUTPUT:**

THE NUMBER OF CHARACTERS IN A GIVEN TEXT IS..18


THE NUMBER OF WORDS IN A GIVEN TEXT IS..5

THE NUMBER OF LINES IN A GIVEN TEXT IS..1

**Record at least 3 results**

Ram  
u is  
a good  
boy.

MAHANIDHIYALAYA



Autograph

**Signature of faculty with date**

**12) b) Write a C program to find the length of the string using Pointer.**

**Program:**

```
#include<stdio.h>
#include<conio.h>

int string_ln(char*);
```

```
void main() {
    char str[20];
    int length;
    clrscr();
    printf("\nEnter any string : ");
    gets(str);
    length = string_ln(str);
    printf("The length of the given string %s is : %d", str, length);
    getch();
}
```

```
int string_ln(char*p) /* p=&str[0] */
{
    int count = 0;
    while (*p != '\0') {
        count++;
        p++;
    }
    return count;
}
```

**Input:**

Enter the String : pritesh

**Output:**

Length of the given string pritesh is : 7

**Record at least 3 results**

**Signature of faculty with Date**

## Week: 13

13) a) Write a C program to Display array elements using calloc( ) function.

### AIM:

To write a C program to find sum of n elements entered by user. To perform this program, allocate memory dynamically using calloc() function.

```
#include <stdio.h>
#include <stdlib.h>

int main()
{
    int i, n;
    int *a;

    printf("Number of elements to be entered:");
    scanf("%d",&n);

    a = (int*)calloc(n, sizeof(int));
    printf("Enter %d numbers:\n",n);
    for( i=0 ; i < n ; i++ )
    {
        scanf("%d",&a[i]);
    }

    printf("The numbers entered are: ");
    for( i=0 ; i < n ; i++ )
    {
        printf("%d ",a[i]);
    }

    return(0);
}
```

Output:

Number of elements to be entered:3

Enter 3 numbers:

22

55

14

The numbers entered are: 22 55 14

**Record at least 3 results**

**Signature of faculty with Date**

**13) b) Write a C Program to Calculate Total and Percentage marks of a student using structure.**

**Program:**

```
#include<stdio.h>
#include<conio.h>
struct student
{
    int rl;
    char nm[20];
    int m1;
    int m2;
    int m3;
    int t;
    float per;
};
void main()
{
    struct student a;
    clrscr();
    printf(" Enter RollNo, Name and three sub marks\n");
    scanf("%d%s%d%d%d", &a.rl, &a.nm, &a.m1, &a.m2, &a.m3);
    a.t=a.m1+a.m2+a.m3;
    a.per=a.t/3.0;
    printf("rollno=%d\n",a.rl);
    printf("Name=%s\n",a.nm);
    printf("m1=%d\n",a.m1);
    printf("m2=%d\n",a.m2);
    printf("m3=%d\n",a.m3);
    printf("total=%d\n",a.t);
    printf("per=%f\n",a.per);
    getch();
}
```

**Input:**

Enter RollNo, Name and three sub marks

12 rama 30 40 50

**Output:**

rollno=12  
Name=rama  
m1=30  
m2=40  
m3=50  
total=120  
per=40.000000

## Week: 14

14) a) Write a C program that uses functions to perform the following operations:

- i) Reading a complex number
- ii) Writing a complex number
- iii) Addition of two complex numbers
- iv) Multiplication of two complex numbers

**AIM:** To perform arithmetic operations on complex numbers

Complex numbers of type  $a+ib$

$$\text{Addition: } (a+ib)+(x+iy)=a+x+i(b+y)$$

$$\text{Subtraction: } (a+ib)-(x+iy)=a-x+i(b-y)$$

$$\text{Multiplication: } (a+ib)*(x+iy)= ax-by+i(ay+bx)$$

Division

$$(a+ib)/(x-iy) = \frac{a+b}{x+y} * \frac{x-y}{x-y} = \frac{(a+b)*(x-y)}{x^2+y^2} = \frac{(ax+by)+(bx-ay)}{x^2+y^2} = \frac{ax+by}{x^2+y^2} + \frac{bx-ay}{x^2+y^2}$$

**ALGORITHM:**

- Step 1: start
- Step 2: Read Two complex numbers  $c_1, c_2$
- Step 3:  $c_3 = c_1 + c_2$
- Step 4: print  $c_3$
- Step 5:  $c_3 = c_1 - c_2$
- Step 6: print  $c_3$
- Step 7:  $c_3 = c_1 * c_2$
- Step 8: print  $c_3$
- Step 9:  $c_3 = c_1 / c_2$
- Step 10: print  $c_3$
- Step 11: print  $c$
- Step 12: stop

**PROGRAM:**

```
#include<stdio.h>
#include<stdlib.h>
#include<conio.h>
struct complex
{
    float real,img;
};

/*code for reading complex number*/
struct complex read_complex()
{

```

```

struct complex c;
    printf("enter real part of complex number");
    scanf("%f",&c.real);
    printf("enter Imaginary part of complex number");
    scanf("%f",&c.img);
    return c;
}

/*code for adding complex numbers*/
struct complex add_complex(struct complex c1,struct complex c2)
{
    struct complex c3;
    c3.real=c1.real+c2.real;
    c3.img=c1.img+c2.img;
    return c3;
}

/*code for subtraction of complex numbers*/
struct complex sub_complex(struct complex c1,struct complex c2)
{
    struct complex c3;
    c3.real=c1.real-c2.real;
    c3.img=c1.img-c2.img;
    return c3;
}

/*code for multiplication of complex numbers*/
struct complex mul_complex(struct complex c1,struct complex c2)
{
    struct complex c3;
    c3.real=c1.real*c2.real-c1.img*c2.img;
    c3.img= c1.img*c2.real+c2.img*c1.real;
    return c3;
}

/*code for division of complex numbers*/
struct complex div_complex(struct complex c1,struct complex c2)
{
    struct complex c3;
    c3.real= (c1.real*c2.real+c1.img*c2.img)/(c2.real*c2.real+c2.img*c2.img);
    c3.img= (c1.img*c2.real-c1.real*c2.img)/(c2.real*c2.real+c2.img*c2.img);
    return c3;
}

/*code for display of complex number*/
void display_complex(struct complex c)
{
    char sign;
    printf("The result is:");
    if(c.img<0)

```

```

    {
        sign='-';
        c.img=-c.img;
    }
    else
        sign='+';
    printf("%5f%ci%5f",c.real,sign,c.img);
}

int main()
{
int choice;
struct complex a,b,c;
while(1)
{
printf("\n.....\n");
printf("Menu for operation complex numbers\n ");
printf(".....\n");
printf("1.Addition \n ");
printf("2.Subtraction \n ");
printf("3.Multiplication \n ");
printf("4.Division \n ");
printf("5.Clear Screen \n ");
printf("6.Exit Menu \n ");
printf("Enter Your Choice: ");
scanf("%d",&choice);
switch(choice)
{
case 1:printf("You Have Selected Addition operation on complex NUMbers\n");
        printf("Enter First complex number\n");
        a=read_complex();
        printf("Enter Second complex Number\n");
        b=read_complex();
        c=add_complex(a,b);
        display_complex(c);
        break;
case 2:printf("You Have Selected Subtraction operation on complex NUMbers\n");
        printf("Enter First complex number\n");
        a=read_complex();
        printf("Enter Second complex Number\n");
        b=read_complex();
        c=sub_complex(a,b);
        display_complex(c);
        break;
case 3:printf("You Have Selected Multiplication operation on complex Numbers\n");
        printf("Enter First complex number\n");
        a=read_complex();
        printf("Enter Second complex Number\n");
        b=read_complex();
}
}

```

```

        c=mul_complex(a,b);
        display_complex(c);
        break;
    case 4:printf("You Have Selected Division operation on complex Numbers\n");
        printf("Enter First complex number\n");
        a=read_complex();
        printf("Enter Second complex Number\n");
        b=read_complex();
        c=div_complex(a,b);
        display_complex(c);
        break;
    case 5: clrscr();
        break;
    case 6: exit(0);
    default:printf("Invalid choice");
}
}

```

**Record at least 3 results**

**Signature of faculty with date**

**14)b) write a c program to display the contents of a file.**

**Aim:** To display the contents of a file.

**Program:**

```
#include <stdio.h>
#include <conio.h>
#include <string.h>
#include <process.h>
int main()
{
    FILE *fs;
    char ch;
    char *fname;
    printf("Enter the file name :");
    gets(fname);
    fs = fopen(fname, "r");
    if(fs==NULL)
    {
        puts("Source file cannot be opened.");
        getch();
    }
    else
    {
        while((ch=fgetc(fs))!=EOF)
        {
            putchar(ch);
        }
    }
    getch();
    return 0;
}
```

**Input:**

Enter the file name :sample.txt

**Output:**

this is my first program

**Record at least 3 results**

**Signature of faculty with date**

## Week: 15

**15)a) Write a C program to copy the contents of one file to another.**


### Aim:

Program which copies one file to another

### Algorithm:

- Step 1: Start
- Step 2: read command line arguments
- Step 3: check if no of arguments =3 or not. If not print invalid no of arguments
- Step 4: open source file in read mode
- Step 5: if NULL pointer, then print source file can not be open
- Step 6: open destination file in write mode
- Step 7: if NULL pointer, then print destination file can not be open
- Step 8 : read a character from source file and write to destination file until EOF
- Step 9: Close source file and destination file
- Step 10: Stop

Flow chart:



### Program:

```
#include<stdio.h>
#include<process.h>
#include<conio.h>
void main()
{
FILE *ft,*fs;
int c=0;
clrscr();
fs=fopen("a.txt","r");
ft=fopen("b.txt","w");
if(fs==NULL)
{
    printf("Source file opening error\n");
    exit(1);
}
else
if(ft==NULL)
{
```

```
    printf("Target file opening error\n");
    exit(1);
}
while(!feof(fs))
{
    fputc(fgetc(fs),ft);
    c++;
}
printf("%d bytes copied from 'a.txt' to 'b.txt'",c);
c=fcloseall();
printf("%d files closed",c);
}
```

**INPUT:**

a.txt

An array is a collection of elements of similar datatypes

**OUTPUT:**

57 bytes copied from 'a.txt' to 'b.txt'  
2 files closed

**Record at least 3 results**

Signature of faculty with date

**15) b) Write a C program to merge two files into a third file (i.e., the contents of the first file followed by those of the second are put in the third).**

**Program :**

```
#include<stdio.h>
#include<conio.h>
int main()
{
    FILE *fp1,*fp2,*fp3;
    char file1[20],file2[20],file3[20],ch;
    puts("Program to merge two files... \n");
    puts("Enter first file name:");
    gets(file1);
    puts("Enter Second file name:");
    gets(file2);
    puts("Enter Destination file name:");
    gets(file3);
    fp1=fopen(file1,"r");
    fp2=fopen(file2,"r");
    fp3=fopen(file3,"w");
    if(fp1==NULL&&fp2==NULL)
        printf("Error opening file1 and file2. ... \n");
    else
    {
        if(fp3==NULL)
            printf("Error in creating destination file. ... \n");
        else
        {
            while((ch=fgetc(fp1))!=EOF)
                putc(ch,fp3);
            while((ch=fgetc(fp2))!=EOF)
                putc(ch,fp3);
        }
        printf("File Merging Sucessfull... ");
        fcloseall();
        getch();
    }
}
```

**Record at least 3 results**


**Signature of faculty with date**

**15) c) Write a C program to reverse the first n characters in a file.**  
**(Note: The file name and n are specified on the command line.)**

**Aim:** To reverse the first n characters in a file

### Algorithm:

- Step 1: Start
- Step 2: read the command line arguments
- Step 3: check if arguments=3 or not
  - If not print invalid no of arguments
- Step 4: open source file in read mode
- Step 5: if NULL pointer, then print file can not be open
- Step 6: Store no of chars to reverse in k
  - $K = *argv[2] - 48$
- Step 7: read the item from file stream using fread
- Step 8: Store chars from last position to initial position in another string(temp)
- Step 9: print the temp string
- Step 10: Stop



## Program:

```
#include <stdio.h>
#include <conio.h>
#include <string.h>
#include <process.h>
void main(int argc, char *argv[])
{
    char a[15];
    char s[20];
    char n;
    int k;
    int j=0;
    int i;
    int len;
    FILE *fp;
    if(argc!=3)
    {
        puts("Improper number of arguments.");
        exit(0);
    }
    fp = fopen(argv[1],"r");
    if(fp == NULL)
    {
        puts("File cannot be opened.");
        exit(0);
    }
    k=*(argv[2])-48;
    n = fread(a,1,k,fp);
    a[n]='\0';
    len=strlen(a);
    for(i=len-1;i>=0;i--)
    {
        s[j]=a[i];
        printf("%c",s[j]);
        j=j+1;
    }
    s[j+1]='\0';
    getch();
}
```

**Input:**

source.c

this is source

ouput.c

this is source

**Output:** Command line arguments

source.c ouput.c

source.c

this is source

ecruos si siht

**Record at least 3 results**



**Signature of faculty with date**